



**NOVO ELECTRIC**

height 1808 mm, length 500 mm. Manhattan Grey finish (cod. 4D).

**Technical features:**

- electric steel towel warmer radiator
- horizontal elements with round tubes 25 mm diameter
- side manifolds with a 40x30 mm semi-oval section
- complete with thermal liquid
- power cable, length 1200 mm, SCHUKO plug

**Price included:**





- 3 chela wall brackets
- the model with WiFi electronic control, type E, includes the electronics in the same finish as the radiator


**Extension of Guarantee**

Irsap guarantees only the hydraulic seal of NOVO ELECTRIC radiators for 10 years, starting from sales in 2009.


Finishes available	Surcharge
Standard White	
Classic finished	
Special finished	
Other RAL colors	

Finishing codes see page 596.

ELECTRIC HEATERS AVAILABLE			WIFI CONTROL *
<p><b>ELECTRIC HEATING ELEMENT WITH ON/OFF SWITCH (TYPE I)</b></p>  <p>Electric heating element with built-in ON/OFF switch. Insulation class: I. Protection index: IP54. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.</p>	<p><b>ELECTRIC HEATING ELEMENT WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (TYPE K)</b></p>  <p>Electric heating element with 4-pole connector with electronic thermostat for regulating the temperature of the internal fluid. Insulation class: I. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.</p>	<p><b>ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)</b></p>  <p>Digital electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.</p> <p>ECO</p>	<p><b>ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)</b></p>  <p><b>Control your radiator remotely using the IRSAP NOW app available from:</b></p> <p>Available on the  App Store  GET IT ON Google Play</p> <p>Compatible with the systems:</p> <p> Works with Alexa  Works with Google Home  Works with IFTTT</p> <p>WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24. The electronics are available in the same color finish as the radiator.</p> <p><b>* Available only for UE and CH.</b></p> <p>ECO</p> <p>View the online guides at: <a href="http://now.irsap.com">now.irsap.com</a></p> 




### NOVO ELECTRIC WITH SWITCH (I)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power
						Watt
764 - 19 rails - 1 espace	<b>NOP050 I 01 IR 01 NNN</b>	30	764	500	11,1	<b>400</b>
1196 - 29 rails - 2 espaces	<b>NOM050 I 01 IR 01 NNN</b>	30	1196	500	16,9	<b>700</b>
1520 - 36 rails - 3 espaces	<b>NOL050 I 01 IR 01 NNN</b>	30	1520	500	20,9	<b>700</b>
1808 - 44 rails - 3 espaces	<b>NOG050 I 01 IR 01 NNN</b>	30	1808	500	25,3	<b>1000</b>

### NOVO ELECTRIC WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (K)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power
						Watt
764 - 19 rails - 1 espace	<b>NOP050 K 01 IR 01 NNN</b>	30	764	500	11,0	<b>400</b>
1196 - 29 rails - 2 espaces	<b>NOM050 K 01 IR 01 NNN</b>	30	1196	500	16,9	<b>700</b>
1520 - 36 rails - 3 espaces	<b>NOL050 K 01 IR 01 NNN</b>	30	1520	500	21,0	<b>700</b>
1808 - 44 rails - 3 espaces	<b>NOG050 K 01 IR 01 NNN</b>	30	1808	500	25,3	<b>1000</b>

### NOVO ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power
						Watt
764 - 19 rails - 1 espace	<b>NOP050 H 01 IR 01 NNN</b>	30	764	500	11,4	<b>400</b>
1196 - 29 rails - 2 espaces	<b>NOM050 H 01 IR 01 NNN</b>	30	1196	500	17,2	<b>700</b>
1520 - 36 rails - 3 espaces	<b>NOL050 H 01 IR 01 NNN</b>	30	1520	500	21,3	<b>700</b>
1808 - 44 rails - 3 espaces	<b>NOG050 H 01 IR 01 NNN</b>	30	1808	500	25,7	<b>1000</b>

### NOVO ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power
						Watt
764 - 19 rails - 1 espace	<b>NOP050 E 01 IR 01 NNN</b>	30	764	500	11,7	<b>400</b>
1196 - 29 rails - 2 espaces	<b>NOM050 E 01 IR 01 NNN</b>	30	1196	500	17,5	<b>700</b>
1520 - 36 rails - 3 espaces	<b>NOL050 E 01 IR 01 NNN</b>	30	1520	500	21,6	<b>700</b>
1808 - 44 rails - 3 espaces	<b>NOG050 E 01 IR 01 NNN</b>	30	1808	500	26,0	<b>1000</b>

#### Key Codes

Width	Standard White colour code - for different colour codes see the colors page			
Height	<b>NO P 050 I</b>	<b>01</b>	<b>IR</b>	<b>01 NNN</b>
		Packing code		



