

SOUL_S ELECTRIC

height 1540 mm, length 550 mm. Matt Light Grey finish (cod. 8N).

Technical features:

- electric steel towel warmer radiator
- horizontal elements featuring rectangular 50x10 mm section tubes
- side round manifolds with a 30 mm diameter
- complete with thermal liquid
- power cable, length 1200 mm, SCHUKO plug

Price included:


- 4 adjustable wall fixing brackets in the same color of the radiator

Finishes available Surcharge

- Standard White
- Classic finished
- Special finished
- Other RAL colors

Finishing codes see page 596.

Available connection



right side manifold

DIGITAL ELECTRONIC CONTROL

ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)



Digital electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.



WIFI CONTROL

ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)



Control your radiator remotely using the IRSAP NOW app available from:



Compatible with the systems:




WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24. The electronics are available in the same color finish as the radiator.

*** Available only for UE and CH.**



View the online guides at: now.irsap.com






L mm	H mm	X mm
550	924	392
	1176	644
	1540	1008
	1848	1316




SOUL_S ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
924 - 13 rails - 2 espaces	URP055 H 01 IR 01 NNN	38	924	550	13,1	400
1176 - 16 rails - 3 espaces	URS055 H 01 IR 01 NNN	38	1176	550	16,0	500
1540 - 21 rails - 4 espaces	URM055 H 01 IR 01 NNN	38	1540	550	20,7	750
1848 - 28 rails - 3 espaces	URE055 H 01 IR 01 NNN	38	1848	550	27,0	1000

SOUL_S ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
924 - 13 rails - 2 espaces	URP055 E 01 IR 01 NNN	38	924	550	13,1	400
1176 - 16 rails - 3 espaces	URS055 E 01 IR 01 NNN	38	1176	550	16,0	500
1540 - 21 rails - 4 espaces	URM055 E 01 IR 01 NNN	38	1540	550	20,7	750
1848 - 28 rails - 3 espaces	URE055 E 01 IR 01 NNN	38	1848	550	27,0	1000



The radiator will be supplied with the resistance always mounted on the inner collector.

Key Codes

Width: **UR P 055 H**
 Height: **01**
 Packing code: **IR 01 NNN**
 H electronics for Electronic Control

Standard White colour code - for different colour codes see the colors page

Key Codes

Width: **UR P 055 E**
 Height: **01**
 Packing code: **IR 01 NNN**
 E electronics for Wi-Fi electronic control

Standard White colour code - for different colour codes see the colors page

